
1/6






FIG. 9

- 1




FIG. 2A

- 1

3/6




FIG. 2B

┙

þá
En.
F127
Aller of the second
Harrie Land
H.J
¥
÷
h #
Car.

CELL COUNTER SET A COUNTER SET B D 0 <th>CELL COUNTER SET A COUNTER SET B D 195 0 C 276 0 M 203 0 NEIGHBOR LIST COUNTER 674 0 X_ACTIVE=COUNTER SET A X_STANDBY=COUNTER SET B</th>	CELL COUNTER SET A COUNTER SET B D 195 0 C 276 0 M 203 0 NEIGHBOR LIST COUNTER 674 0 X_ACTIVE=COUNTER SET A X_STANDBY=COUNTER SET B
FIG. 3	FIG. 4
CELL COUNTER SET A COUNTER SET B CELL COUNTER SET A COUNTER SET B D	CELL COUNTER SET A COUNTER SET B D 195 C 275 M 203 NEIGHBOR LIST COUNTER SET A X_ACTIVE=COUNTER SET B X_STANDBY=COUNTER SET B

Pi He
W
4
-
₽.
h#
**
ļņd,
h M
H CI

NEIGHBOR LIST FOR CELL P	CELL COUNTER SET A COUNTER SET B	0 195 0	300 0	M 203 0	NEIGHBOR LIST COUNTER 698 0	(_ACTIVE=COUNTER SET B	X_STANDBY=COUNTER SET A
		•		CELL C ADDED TO ACTIVE SET			
OR CELL P	T A COUNTER SET B	0	0	0	0	R SET A	ER SET B
NEIGHBOR LIST FOR CELL P	CELL COUNTER SET A COUNT		C 299	M 203	NEIGHBOR LIST COUNTER 697	X_ACTIVE=COUNTER SET A	X_STANDBY=COUNTER SET B

NEIGHBOR LIST FOR CELL P	CELL COUNTER SET A COUNTER SET B	D 195 130	C 300 20		NEIGHBOR LIST COUNTER 698 400	X_ACTIVE=COUNTER SET B X_STANDRY=COUNTER_SET_A
	C 1 C . O			CELL C ADDED TO ACTIVE SET		
2				CELL C		
602	ER SET B	130	6		399	ET B SET A
NEIGHBOR LIST FOR CELL P	<u> </u>	195 130	300 19	250		X_ACTIVE=COUNTER SET B X_STANDBY=COUNTER SET A

mail mail
Fig.
Ų.
###
THE STATE OF THE S
47
#
4J
T.

METGHBOR LIST FOR CELL P 704 CELL COUNTER SET A COUNTER SET B 150 51 60 51 60 51 60	X_STANDBY=COUNTER SET A NEIGHBOR LIST FOR CELL P 804	CELL COUNTER SET A COUNTER SET B D 0 130 C 0 51 M 0 300 NEIGHBOR LIST 300 X_ACTIVE=COUNTER SET A 501 X_STANDBY=COUNTER SET B
CELL C ADDED TO ACTIVE SET		
NEIGHBOR LIST FOR CELL P CELL COUNTER SET A COUNTER SET B D 195 150 C 300 50 M 203 299 NEIGHBOR LIST 499 Y ACTIVE—COUNTER SET R		CELL COUNTER SET A COUNTER SET B D 195 150 C 300 51 M 203 299 NEIGHBOR LIST 209 COUNTER 698 500 X_ACTIVE=COUNTER SET B X_STANDBY=COUNTER SET A